

PONDICHERY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Providing Aluminium Partition at the computer lab for the purpose of placement activity at department of international business SOM

S. No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1 21.1.1. 3	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC / neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings. (Glazing and panelling to be paid for separately) : For fixed portion. Polyester powder coated aluminium (minimum thickness of polyester powder coating 50 micron)	170.00		Kg	
2. 21.1. 2.3	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC / neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all	17.00		Kg	

	complete as per architectural drawings. (Glazing and panelling to be paid for separately) : For shutters of doors, windows and ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of PVC / neoprene gasket required (fittings shall be paid for separately) polyster powder coated aluminium (minimum thickness of polyster powder coating 50 micron				
3. 21.2.2	Providing and fixing 9mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS : 12823 grade 1 type II in panneling fixed in aluminium doors, windows, shutters and partition frames with C.P. brass / stainless steel screws etc., complete as per architectural drawings. Prelaminated particle board with decorative lamination on both sides.	35.00		Sqm	
4. 21.3.2	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc., with PVC / neoprene gasket etc., complete as per the architectural drawings. (cost of aluminium snap beading shall be paid in basic item) : With float glass panes of 5mm thickness.	12.00		Sqm	
5 21.17.3	Providing and fixing Anodised aluminium , minimum anodic coating of grade AC 15 grill of required pattern / design over the doors, windows and ventilators., etc, including fixing (but excluding the cost of the sections, which will be paid separately	60.00		Kg	
6 9.84	Providing and fixing IS:3564 make aluminium extruded section body tubular type universal hydraulic door closer with double speed adjustment with necessary accessories and screws B60etc.complete	2.00		Each	
7 9.113	Providing and fixing bright finished 100mm mortice lock with 6 levers without pair of handles for aluminium door with necessary screws etc complete (best make of approved quality)	2.00		Each	

8 9.100.1	Providing and fixing aluminium handles ISI marked anodized (anodic coating not less than grade as per 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc. complete :-125mm	4.00		Each	
9 9.101.2	Providing and fixing aluminium hanging floor door stopper ISI marked anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade with necessary screws etc .complete - Twin rubber stopper	2.00		Each	

I hereby abide the rules and regulations stipulated in the CPWD form no. 6 & 8.

Contractor

EXECUTIVE ENGINEER