

**PONDICHERRY UNIVERSITY  
ENGINEERING WING**

**Name of work: Renovation of Computer lab and special repairs at Department  
of Mathematics**

**Schedule of work**

<b>S.No</b>	<b>Description</b>	<b>Qty</b>	<b>Rate</b>	<b>Unit</b>	<b>Amount</b>
<b>1</b>	Code No: 15.57				
	Dismantling aluminium / Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable surplus material and stacking of serviceable material within 50m lead.	32.00		Sqm	
<b>2</b>	Code No: MR.				
	Removing the damaged plastering including disposal of unserviceable surplus material and stacking of serviceable material within 50m lead.	298.00		Sqm	
<b>3</b>	Code No: MR.				
	Removal of the damaged / good, furniture, computers & other equipments due to fire accident at the computer centre in Mathematics Department, cleaning the same and storing in a place shown in the department carefully including cleaning the floor of the computer centre.	1.00		job	
<b>4</b>	Code No: 14.43				
	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	201.00		Sqm	
<b>5</b>	Code No: 13.16.1				
	6mm cement plaster of mix 1:3 (1 cement : 3 fine sand).	135.00		Sqm	
<b>6</b>	Code No: 13.1.1				
	12mm cement plaster of mix :Cement mortar 1:4 (1 cement : 4 fine sand)	153.00		Sqm	
<b>7</b>	Code No: 13.6.1				
	20 mm cement plaster of mix 1 :4 (1 cement : 4 coarse sand)	30.00		Sqm	
<b>8</b>	Code No: 13.37.1				
	White washing with lime to give on even shade - New work (three or more coats).	150.00		Sqm	

<b>9</b>	Code No: 14.42.1				
	White washing with lime to give an even shade - Old work (two or more coats).	126.00		Sqm	
<b>10</b>	Code No: 21.1.1.1				
	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC / neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings. (Glazing and panelling to be paid for separately) : For fixed portion. Anodised aluminium (anodised transparent or dyed to required shade according to IS : 1868, Minimum anodic coating of grade AC 15)	40.00		Kg	
<b>11</b>	Code No: 21.1.2.1				
	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming to IS : 733 and IS : 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC / neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all	42.00		Kg	

	complete as per architectural drawings. (Glazing and panelling to be paid for separately) : For shutters of doors, windows and ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of PVC / neoprene gasket required (fittings shall be paid for separately) Anodised aluminium (anodised transparent or dyed to required shade according to IS : 1868, minimum anodic coating of grade AC15).				
<b>12</b>	Code No: 10.27				
	Supplying and fixing of steel grill work of m.s. angles, flats, squares and pipes including cost of welding charges, fixing in position in masonry walls with cement concrete 1:2:4 (1 cement : 2 course sand : 4 graded stone aggregate 12.5mm nominal size) including one coat of priming coat etc. complete.	360.00		Kg	
<b>13</b>	Code No: 13.41.1				
	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade - New work (two or more coats) over and including priming coat with cement primer.	608.00		Sqm	
<b>14</b>	Code No: 13.45.1				
	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade - Old work (one or more coats).	193.00		Sqm	
<b>15</b>	Code No: 14.67.2				
	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade - Old work (one or more coats applied @ 0.83 ltr/10 sqm)	29.00		Sqm	
<b>16</b>	Code No: 13.61.1				
	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade - Two or more coats on new work.	13.00		Sqm	
<b>17</b>	Code No: 14.54.1				

	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade - One or more coats on old work.	19.00		Sqm	
<b>18</b>	Code No: 16.90				
	Poilshing the existing mosaic floor with power polisher to a high degree of polish as to be perfectly smooth .	249.00		Sqm	
	Total				

I hereby abide the rules and regulations stipulated in the CPWD form no. 6 & 8.

**Contractor**

**Superintending Engineer**