

PONDICHERY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Replacing the existing damaged door shutter and repainting the existing lift machine room hand rail at various places in the academic buildings.

S. No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1 9.21. 1	Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part 1) non-decorative type, core of block board construction with frame of 1 st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. - 35 mm thick including ISI marked stainless steel butt hinges with necessary screws	8.25		Sqm	
2 9.21. 2	Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part 1) non-decorative type, core of block board construction with frame of 1 st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. - 30 mm thick including ISI marked stainless steel butt hinges with necessary screws	7.50		Sqm	
3 9.23	Extra for providing lipping with teak wood battens 25mm minimum depth on all edges of r area shutters (over all area of door shutter to be measured) over item no.9.20 and 9.21	15.50		Sqm	
4 13.5 0.1	Applying priming coat - with ready mixed pink or grey primer of approved brand and manufacture on wood work (hard and soft wood).	43.00		Sqm	
5 13.6 1.1	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade - Two or more coats on new work.	43.00		Sqm	

6 9.10 0.1	Providing and fixing aluminium handles ISI marked anodised (anodic coating not less than grade as per 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc.complete :-125mm	16.00		Each	
7 9.97. 4	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc.complete :- 150x10mm	16.00		Each	
8 9.96. 1	Providing and fixing aluminium sliding door bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with nuts and screws etc.complete:- 300x16mm	8.00		Each	
9 14.5 4.1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade - One or more coats on old work.	33.00		Sqm	
	Total				

Terms & Conditions:

- i) The rates specified are firm and not subject to any variation.
- ii) The work should be completed within 30 days.
- iii) Payment will be made only after completion of the entire work.
- iv) The material should be got approved before commencement of work.

Contractor

Executive Engineer