

**PONDICHERY UNIVERSITY**  
**ENGINEERING WING**

**ABSTRACT OF COST**

**Name of work:** Providing post construction anti termite treatment for the  
Dept. of Chemistry

<b>Sl.No</b>	<b>Description</b>	<b>Qty.</b>	<b>Rate Rs.P.</b>	<b>Unit</b>	<b>Amount Rs.P.</b>
1 2.34.1	Supplying chemical emulsion in sealed containers including delivery as specified - Chlorpyriphos / Lindane emulsifiable concentrate of 20%.	443		Rmt	
2 2.35.2.1	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion): Along the external wall below concrete or masonry apron using chemical emulsion @ 2.25 litres per linear metre including drilling and plugging holes etc. - With Chlorpyriphos / Lindane E.C. 20% with 1% concentration.	301		Rmt	
3 2.35.4.1	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion): Treatment of existing masonry using chemical emulsion @ one litre per hole at 300 mm interval including drilling holes at 45 degree and plugging them with cement mortar 1:2 (1 cement : 2 coarse sand) to the full depth of the hole: With Chlorpyriphos / Lindane E.C. 20% with 1% concentration.	975		Sqm	
4 2.35.5	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion): Treatment at points of contact of wood work by	738		Rmt.	

	chemical emulsion Chlorpyriphos / Lindane (in oil or kerosene based solution) @ 0.5 litres per hole by drilling 6mm dia holes at downward angle of 45 degree at 150 mm centre to centre and sealing the same.				
	<b>Total</b>				

I here by abide the rules and regulations stipulated in the CPWD form 6 & 8.

**Special conditions:**

1. The work should be executed as per CPWD specifications and as per the standards of BIS.
2. The contractor/firm should give a guarantee of 5 years for their work. A guarantee to this effect in the prescribed format, in a stamped paper of Rs.10/- shall have to be furnished.
3. The chemical required in this work, in the sealed containers shall be procured and stacked at work site which has to be used under the supervision of the Junior Engineer / Assistant Engineer concerned.
4. As the work has to be carried out in the Dept. of Chemistry, the contractor / firm shall see that there would be no disturbance to their classes.

**Contractor**

**Superintending Engineer**